


為EAST - [Untitled1:1] This view Edit Tooks Windows Halp - | • 842 (900 ( • 120 (1000) \$ 100 (\$) (\$0 (\$) (100 (\$) ...Ct.Draf.ts U 1 Document ID Issue Dat Pages Current OR Current XR Retrieval S C P 8 3 M 4 firle Inventor Elliott; Timothy 20030114 20 US 6507450 Method of continuously 360/77.08 n n n n n n recording serve bursts r US 6487032 360/51 Cloke; Robert L. 21 20021126 360/46; Computer system n nin n 360/65; 360/77.04 comprising a host conne B1 Sri-Jayantha; S. F US 6487028 360/25 22 20021126 Servo system for n n n n n n B1 F G US 6441981 disk-flutter in rotatin Disk drive including a M. et al. Cloke; Robert 360/48; 23 20020827 360/51 nin nininin 360/77.08 360/77.08 Leslie et al. Cloke; Robert recording surface emplo B1 C US 6411452 20020625 360/51 24 Disk drive employing n c c n c c Ø. B1 US 6388829 read error tolerant syn High servo sampling Leslie 25 360/60; 360/48 Nazarian; Ara W. 20020514 0 0 0 0 0 0 360/77.08 360/77.03 disk drive with minimum Magnetic disk drive B1 26 20020319 360/75 Kakekado; Shigeru g c US 6359746 B1 US 6342992 et al. Prater: Walter 360/265.6 384/296 27 20020129 Hard disk drive cia a cac actuator pivot with inb Disk-flutter servo Llovd et al. Sri-Jayantha: S. 360/77.04 360/65; 28 g C US 6339512 20020115 360/78.09 control in rotating sto Voice coil motor M. et al. Beatty; Paul A. et <sup>1</sup>R1 r: US 6310749 360/265.7 20011030 360/265.8 29 F actuator vibration isol Rotational vibration al. r US 6304406 Douglas: D Brent 360/73.03 360/73.01 20011016 30 rhhhhh et al. Cloke; Robert L. compensation using a fi :B1 360/46; US 6278568 Disk drive employing 360/51 20010821 31 n n n n n n B1 US 6262857 360/77.08 360/46; read channel IC with co. Disk drive including a et al. Hull; Richard 32 20010717 360/51 e e e e e e 360/48; 360/46 recording surface emplo William et al 33 g C US 6191906 360/51 20010220 Method for estimating Buch; Bruce D. r c c r c r B1 r. US 6178057 sampling phase from syn. Disk unit and Kuroda; Takashi et 34 20010123 360/51 cininicinic C US 6178056 read/write\_control\_meth al. Cloke; Robert 20010123 360/46 360/51; 35 Disk drive employing ₽. Leslie et al. Duffy: Dennis state variable trap req. Constant density servo 360/65 360/77.08; F L US 6118604 360/48 36 20000912 c c c c c c A US 6084738 Daniel Duffy; Dennis information in a disc d 360/78.14 37 20000704 360/75 Writing servo information to a disc d Daniel r. US 6067202 318/254; 360/73.03 20000523 Method and apparatus Rowan; Bryan Scott 38 F for controlling spindle Multiple clock tracks A US 6046969 318/439: 369/275.3 et al. 39 20000404 369/47.31 Towner; David K. r r n n n n et al. Hull; Richard W. for erasable and rewrit r US 5956196 360/77.08 40 19990921 Disk drive employing 360/65 n n n n n n ₽ A m US 5946153 dvnamically reconfigure
Information storage 360/48 et al. 360/31; Emo; Bruce D. et 19990831 43 nin nin nin disk drive with variabl 360/69 327/107; al. Baumer: Howard Multimode frequency synthesizer having high Tracking in hard disk 42 ₽ C US 5861766 327/105 19990119 6 6 6 6 6 6 Anthony et al. Pirzadeh: Sean A US 5771131 327./.148.; 43 360/77.08 19980623 360/75 0 0 0 0 0 drive using magnetoresi ກ ບົຣ 5729399 19980317 Contact start/stop disk 360/75 360/78.04 Albrecht; Thomas ricicicic / HAD () Geleils 22 HTML

遷EAST - [Untitled1:1] Tels view Edit Iook Vindow Hab D [26 [27] 2 [27] 44 (44) - # 642-000 # (Scretch) \$7 (00 \$1 \$2 (00 \$1 \$2 (10 th)) # 1 Document ID Issue Dat Pages Current OR Current XR Retrieval Inventor Title Rowan; Bryan Scott n n n n n US 6067202 Method and apparatus 360/73.03 318/254; 38 20000523 318/439; 369/275.3 for controlling spindle et al. 369/47.31 20000404 Towner; David K. 39 US 6046969 Multiple clock tracks 000000 for erasable and rewrit et al. Hull: Richard W. 360/65 360/77.08 US 5956196 19990921 40 Disk drive employing n r r n n r dynamically reconfigure et…al r US 5946153 360/31; 43 Emo; Bruce D. et 360/48 19990831 Information storage nin nin nin n US 5861766 disk drive with variabl Multimode frequency 360/69 327/107; al. Baumer; Howard 42 327/105 19990119 **9**. r: 0 0 0 0 synthesizer having high 327/148; 360/75 Anthony et al. Pirzadeh: Sean 43 19980623 360/77.08 US 5771131 Tracking in hard disk o o o o o o 8 6 drive usina magnetoresi 44 c US 5729399 19980317 Contact start/stop disk 360/75 360/78.04 Albrecht; Thomas n c c n c c 7. drive with minimized he Robert et al. Akagi; Kyo et al. r: US 5568331 360/77.07 360/135; 45 19961022 Method of head cin n c n c Ø positioning and magneti Applying an adaptive 360/77.11 360/77.04 ្ត ប៉ន 5550685 360/77.08 46 19960827 Drouin; David M. n o o n o o eed-forward\_algorithm 19951212 360/48 360/51; Gold; Clifford M. 43 US 5475540 Magnetic data storage c n n o n c disk drive with data bl Disk drive method using 360/46 360/77.08 r Us 5422760 Abbott; William L. 19950606 360/51; 48 L. nnnn zoned data recording an 360/65 360/51; et al. Moon: Ronald R. et 360/77.08 F C US 5420730 19950530 49 Servo data recovery r in nin nin circuit for disk drive PRML sampled data 360/78.14 360/51 Fisher; Kevin D. 50 US 5384671 19950124 360/49; r . inininin channel synchronous se Disk drive using PRML 360/77.08; 360/77.08 E US 5345342 360/48 Abbott; William L. 51 19940906 o o nio o Γ.: synchronous sampling da et al. Abbott; William L. 52 19940823 360/39; US 5341249 Disk drive using PRML 360/46 0 0 0 0 0 0 Γ. class IV sampling data Multiple biasing 360/51; 331/16; et al. Llewellyn; William E C US 5329251 53. 331/2 19940712 E E 0 0 0 0 phase-lock-loops contro Programmable servo 331/17:.. Hessing; Charles 54 US 5315456 360/77.08 19940524 cia a caia timing generator E. et al. 55 US 5276564 19940104 360/51 360/49; Hessing; Charles Programmable n c c n c n start-of-sector pulse q Timing control for PRML 708/3 360/77.08 360/46; E. et al Johnson; Kenneth 19931102 56 US 5258933 000000 F class IV sampling data Zone servo sector 360/51: E. et al. King; Francis K. r US 5121280 360/135 67 19920609 360/48; e a a e a a 360/73.03 360/135; format alignment scheme 360/78.14 5.9 US 4910617 19900320 Disk drive head Brunnett; Donald n n n n n n 360/77.05; 360/27 et al positionina servo syste p r US 4894734 360/51 Fischler; Al et 19900116 59 Method and apparatus n n n n n n for constant density re EP 590878 GOLD, CLIFFORD M 19940406 60 360/75 Data block sequencing 00000 using ID after embedded ZONE SERVO SECTOR 360/48 KING, FRANCIS K WO 9101554 19910207 P T 0 0 0 0 0 0 FORMAT ALIGNMENT SCHEME / His Operate 25 HTML



	Edit Ioos Wood Fue 88 8  9  8  #	<del>-</del>											***
raf.ts.				<b>∰ # 84</b> \$400	ni 🚜 (onapose) 🗯 o	தேர்க் கூற்ற	<u> </u>						
	Document ID	Issus Dat	Pages	Title	Current OR	Current XR	Retrieval	Inventor	6	C	Þ	<b>*</b> 3	
P F	US	20050120		for searching	360/51	360/29;		Ehrlich, Richard	r	г	r:	г	
<b>83L</b>	20050013031	20050120		.patterns.at.m	11	360/48		M. Dieberd			····· j-	• • • • • • • • • • • • • • • • • • • •	٠
PF	US 20050013030	20050120		for searching	360/51			Ehrlich, Richard M.	T.	T.	r:	Гr	ī
<u> </u>	US	20050120		natterns at mu	360/29	360/48		Ehrlich, Richard					
P T	20050013027	1		_patterns_using		300, 10		м.	1:	r	1.	F : 1	ŀΓ
P 1	US	20050120		emodulator	360/29	360/48		Ehrlich, Richard	Г	г	г	Г Г	Ē
XXI :	:20050013026	; ************************************		_includina_mult				M	_{				
Ø Æ C	US	20040701		for preventing		360/77.08		Ehrlich, Richard	г	C	D.	m j c	ŗ
939	20040125485	20040701		control values for improving	360/51			M. Ehrlich, Richard					·÷
S L	US 20040125484	20040701		emodulation_rob				M	С	f.:	Ti i	o n	:   0
8 C	US	20040701		for improving	360/51	360/77.08		Ehrlich, Richard	۳.	۲.	_		
X4 :	-20040125483	<u>!</u>	servo-d	emodulation rol				М.,	1	•			
e r	บร	20040701		for detecting	360/51	360/77.08		Ehrlich, Richard	c	7.	r. l	o r	ŀ
⊙ <b>1</b> •	:20040125482	20040701		eoccurrencesc		360/77.08		M.					<u> </u>
8 C	US 20040125481	20040701		for detecting	360/51	300///.08		Ehrlich, Richard	Γ.:	r	C :	רו ְר	ı
		20040701		for preventing		360/51;		M. Ehrlich, Richard			+		
E U	20040125479			control values		360/77.08		M	T.	T:	1.:	U J.	: ¡ [
РГ	US	20021017		nous detection	375/340		i	Leis, Michael D.	г	г	_	г. г	Ϊ,
8 <b>1</b> :	:20020150179	<b></b>		bi-phasecoded				et al.					į.,
P r	US 6738205	20040518		iting of servo	360/17	360/75		Moran; Patrick et	r	г	r .	r: r	:   1
33 : T	:R1	20020211		s in disk drive		360/46;		al. Cloke; Robert L.				····	٠.
ਾ ਬ	US 6519104 B1	20030211		r system ing a host con	360/51	360/77.08		et al.	. n	r	r:	r ir	ŗ
E U		20021126		r system	360/51	360/46;		Cloke: Robert L.					
a :	n1			ing a host con		360/65;		et al.	i I.:	Г		ι.: : Γ.	ľ
ת ש	US 6452990	20020917		nous detection	375/361	360/27;		Leis; Michael D.	С	r	г	o r	
	:B1	: *********		.bi-phase_coded		369/43:		et al.		,			
R C	US 6441981	20020827		ive including a		360/48;		Cloke: Robert	Π.	C.	0	r:	r
<u></u>	B1 US 6411452	20020625		ng surface empl	lo: :360/51	360/77.08 360/77.08		Leslie et al. Cloke: Robert					٠.
or :	·B1	20020025		ive employing ror tolerant s		200/11.00		Leslie	C	П	T.	េៈព	: ; (
E C		20011016	Self-wr	iting of servo	360/75	360/17		Baker; Bill et al.					
M C	B1			s based on pri					1.:	С		l.: : l.	- 1
E L	US 6278568	20010821	Disk dr	ive employing	360/51	360/46;		Cloke; Robert L.	-	T.	<b>F</b>	n r	,
89 :	'R1			annel IC with o		360/77.08		et_al			· ;		<u>.</u>
P L		20010717		ive including a		360/46;		Hull; Richard	Г	г	П	ГГ	ſ
	B1 US 6178056	20010123		no surface empl ive employing	10: :360/46	360/48; 360/51;		William et al Cloke; Robert			····		
31 :	-R1			ariable trap re		360/65		Leslie et al.	г	Г	L.	ΠļΓ	۲
	บริ 5862005	19990119		nous detection		360/29;		Leis; Michael D.		г	-	<b></b>	
91 : B	A	<u> </u>	of wide	bi-phase coded	1	360/42		et al.			·		
R C	US 5422760 A	19950606		ive method usin		360/51;		Abbott; William L.	i n	г	c	n i c	ı.
4	.:A		zoned d	ata recordina a	an:	360765		et al.	أسسا				
	s S HINL								*****	******			***

,